

1-4-11

# INDEX MAPS.

**T.11.N R.2W 2<sup>nd</sup> Mer.**

Meandering 436

	400	400	399-401	399-401	399-401	399-402						
404	6	409	5	415	4	420	3	426	2	435	1	398
	409		414		420		425		434		434	
403	7	408	8	414	9	419	10	425	11	433	12	398
	408		414		419		424		432		433	
403	18	407	17	413	16	419	15	424	14	432	13	398
	407		413		418		423		431		432	
403	19	406	20	412	21	418	22	423	23	430	24	397
	406		412		417		422		429		429	
402	30	405	29	411	28	417	27	422	26	428	25	397
	404-405		410		416		422		427		428	
402	31	404	32	409	33	415	34	421	35	426	36	396
	395		395	396	396	393-394	393-394	393-394	393-394	393-395		

**T.12.N R.2W 2<sup>nd</sup> Mer.**

	453	453	452-454	452-454	452-454	452-455						
457	6	5	477	4	472	3	467	2	462	1	451	
				476		471		466		461		
456	7	8	476	9	471	10	466	11	460	12	451	
				474		470		465		460		
456	18	17	474	16	470	15	465	14	460	13	451	
				474		469		464		459		
456	19	20	474	21	469	22	464	23	459	24	450	
				474		469		463		458		
455	30	29	473	28	468	27	463	26	458	25	450	
	478	478	473		468		463		457			
455	31	477	32	472	33	467	34	462	35	457	36	450
	448	448	447-449	447-449	447-449	447-449	447-450					

The figures on the lines refer to the page.

447

Township N<sup>o</sup> 12 North of Range N<sup>o</sup> 2 West. 2<sup>nd</sup> Mer. S.

South Boundary		a 23
West	On a Random line on the South Boundary of sec 36. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 W. 2 <sup>nd</sup> Mer.	
10.00	To a Brook 12 miles wide; Course S. W.	
40.00	" " Course 30 " " " S. E.	
40.00	Set a temporary post for the cor. to the 1/4 sec.	
80.00	" " " " " " " " Sec. 35 & 36, T. N <sup>o</sup> 12 N. R. N <sup>o</sup> 2 W. Land very hilly	

West	On a Random line below South Boundary of sec. 35. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 W.	
10.00	To a Brook 3 miles wide; Course S. E.	
38.00	" " " " " " " " "	
40.00	Set a temporary post for the cor. to the 1/4 sec.	
42.00	To a Brook 3 miles wide; Course S. E.	
80.00	Set a post for the cor. to Sec. 34 & 35. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 W. Land middling level, East part rolling; good for farming; Timber Beech, Sugar, Oak, Poplar, Ash, &c	

West	On a Random line on the South Boundary of sec. 34. T. N <sup>o</sup> 12 N. R. N <sup>o</sup> 2 W. 2 <sup>nd</sup> Mer.	
2.00	To a Brook 12 miles wide; Course S.	
40.00	Set a temporary post for the cor. to the 1/4 sec.	
60.00	To a small brook - miles wide; Course S.	
28.00	" " " " 15 " " " S.	
80.00	Set a temporary post for the cor. to Sec. 33 & 34. T. N <sup>o</sup> 12 N. R. N <sup>o</sup> 2 W. Land similar to the last mile; some sink holes and deep drains; Land good for farming; Timber Beech, Sugar, Elm, Walnut, Oak &c	

West	On a Random line on the South Boundary of sec. 33. T. N <sup>o</sup> 12 N. R. N <sup>o</sup> 2 W.	
40.00	Set a temporary post for the cor. to the 1/4 sec.	



T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27<sup>th</sup> 2<sup>nd</sup> Mer. (Ind.)

50.00	Set a temporary post for the cor. of Sec. 32 & 33. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27 <sup>th</sup> . Lands very rich; and good for farming; many sink holes; Timber Buck, Sugar, Walnut, Poplar.
West	Omitted the Random line, between Sec. 5 & 32 [or rather omitted taking notes]
West	On a Random line on the South Boundary of Sec. 31. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27 <sup>th</sup> .
40.00	Set a temporary post for the cor. to the 1/4 Sec.
74.16	Intersected the Range line between Ranges 2 & 37 <sup>th</sup> 8.77 ch. South of the temporary post set for the cor. of Sec. 1. 6. 31 & 36. T <sup>s</sup> 11, 11 & 12. 12 N.R. <sup>s</sup> 2 & 37 <sup>th</sup> . Lands and Soil same as on the last mile; East 1/2 broken with many sink holes; West 1/2 middling good for farming.
East	On the true line on the South Boundary of Sec. N <sup>o</sup> 31. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27 <sup>th</sup> . a 38
34.00	Set the temporary post on the true line for the cor. to the 1/4 Sec. from which a W. Ash 9 in. dia bears S 80 E. 71 kts. dist; and a W. Ash 30 in. dia bears S 40 W. 41 kts. dist;
74.00	Set the temporary post on the true line for the cor. of Sec. 31 & 32. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27 <sup>th</sup> . from which a Beech 9 in. dia bears N 41 W. 38 kts. dist. and a Do 18 " " " S 47 E. 45 " "
East	On a true line on the South Boundary of Sec. 32. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27 <sup>th</sup> .
40.00	Set the temporary post on the true line for the cor. to 1/4 Sec from which a Beech 18 in. dia bears N 75 W. 14 kts. dist and a Do " " " " N 70 E. 20 " "

449

T. N. 12. N. R. N. 2 W 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

80.00	Set a post for the cor. of sec. 32 & 33 T. N. 12 N. R. N. 2 W. From which a Beech 14 in. dia. bears S60 E. 27 lks dist; and a B. Walnut 9 " " " N20 W. 53 " dist
East	On a true line on the South Boundary of sec. 33 T. N. 12 N. R. N. 2 W.
40.00	Set the temporary post on the true line for the cor. to the 1/4 sec. From which a Sugar 24 in. dia. bears N29 W. 17 lks dist; and a Sugar 40 in. dia. bears S33 E. 27 links dist
80.00	Set the temporary post on the true line for the cor. to the 1/4 sec. 33 & 34. T. N. 12 N. R. N. 2 W. From which a Beech 24 in. dia. bears N64 E. 12 links dist; and a B. Walnut 12 " " " N71 W. 31 " "
East	On a true line on the South Boundary of sec. 34 T. N. 12 N. R. N. 2 W. 2 <sup>nd</sup> Mer.
40.00	Set the temporary post on the true line for the cor. to 1/4 sec. From which a Beech 24 in. dia. bears N81 W. 23 links dist; and a B. Walnut 9 " " " S81 E. 39 " "
80.00	Set the temporary post on the true line for the cor. to section 34 & 35 T. N. 12. N. R. N. 2 W. From which a Hickory 24 in. dia. bears N44 W. 9 links dist; and a Beech 12 " " " S64 E. 16 " "
East	On a true line on the South Boundary of sec. 35 T. N. 12 N. R. N. 2 W. 2 <sup>nd</sup> Mer.
40.00	Set the temporary post on the true line for the cor. to 1/4 sec. From which a Sugar 12 in. dia. bears S75 E. 11 links dist; and a Beech 18 " " " N65 E. 21 " "
80.00	Set the temporary post on the true line for the cor. to sec. 35 & 36 T. N. 12. N. R. N. 2 W. From which a Beech 18 in. dia. bears S64 E. 28 links dist; and a Qo 18 " " " N35 W. 14 " "

T. N. 12. N. R. N. 27. 2<sup>nd</sup> Mer. Ind.

East	On a true line on the South Boundary of sec. 36. T. N. 12. N. R. N. 27. 2 <sup>nd</sup> Mer.
40.00	Set the temporary post on the true line for the $\frac{1}{4}$ sec. cor. from which a Beech 10 in. dia. bears S 27. 21. links dist; and an Elm 5 " " " N 38 E. 57 " "
80.00	To the Town Corner of T. 11. N. 12. N. R. N. 27. and set a post for the cor. of sec. 16. 31. 36. T. 11. N. 12. N. R. N. 27. from which a Hickory 18 in. dia. bears N 66 E. 24 links dist; and a S. Oak 30 in. dia. bears S 46 N. 41 links dist.

## East Boundary

Q. 40.

(Wednesday June 3<sup>rd</sup> 1819Nov. 6<sup>th</sup> 15

North	On the East Boundary of sec. 36. T. N. 12. N. R. N. 27.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Poplar 12 in. dia. bears N 83 E. 13 links dist; and a Gum 30 " " " S 24 N. 14 " "
80.00	Set a post for the cor. of sec. 25 136 T. N. 12. N. R. N. 27 from which a Walnut 5 in. dia. bears S 55 E. 28 links dist; to Sugar 12 " " " N 64 N. 27 " " Sand hilly and poor.

North	On the East Boundary of sec. 25. T. N. 12. N. R. N. 27.
25.00	To a Brook 15 links wide; Course S N.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 12 in. dia. bears S 46 E. 19 links dist; and a Do 14 " " " N 40 N. 22 " "
80.00	Set a post for the cor. of sec. 24 & 25. T. N. 12. N. R. N. 27. from which a Sugar 12 in. dia. bears N 50 E. 16 links dist; & a Do 5 " " " S 8 N. 19 " " Sand very broken and hilly

North	On the East Boundary of sec. 24 T. N. 12. N. R. N. 27.
40.00	Set a post for the cor. of the $\frac{1}{4}$ sec. from which a

451

T. N. 13. N. R. N. 27. 2<sup>nd</sup> Mer. Ind.<sup>e</sup>

80.00	<p>Buck 30 in. diam: bears S50 E. 39 miles dist; to          Sugar 24 " " " N61 W. 7 " "          Set a post for the cor. of Sec. 13. &amp; 24. T. N. 12. N. R. 27.          From which a Buck 14 in. diam: bears N85 W. 2 miles dist;          and a Buck 14 " " " S85 E 45 " "          Sand soil and good for farming; Timber, Buck          Sugar, Poplar and Oak.</p>
North 18.00 40.00 67.50 80.00	<p>On the East Boundary of Sec. 13. T. N. 12. N. R. N. 27.          To a Brook 10 miles mid; Course W.          Set a post for the cor. to the 1/4 Sec. from which a          Buck 20 in. diam: bears S71 E. 15 miles dist; and a          Do 14 " " " N55 W. 21 " "          To a Brook 6 miles mid; Course W.          Set a post for the cor. of Sec. 12 &amp; 13. T. N. 12. N. R. N. 27. from          which a Buck 18 in. diam: bears S37 E. 7 miles dist; to          Hickory 10 " " " N38 W. 35 " "          Sand soil and timber same as on the last mile.</p>
North 40.00 80.00	<p>On the East Boundary of Sec. 12. T. N. 12. N. R. N. 27.          Set a post for the cor. to the 1/4 Sec. from which a          Sugar 9 in. diam: bears S9 E. 28 miles dist; and a          Buck 18 " " " N44 E 60 " "          Set a post for the cor. of Sec. 11 &amp; 12. T. N. 12. N. R. N. 27.          from which a Sugar 10 in. diam: bears S38 E. 15 miles dist;          and a Do 12 " " " N66 W. 25 " "          Land similar to the last mile; good for farming</p>
North 40.00 80.00	<p>On the East Boundary of Sec. 1. T. N. 12. N. R. N. 27.          Set a post for the cor. of 1/4 Sec. from which a          Buck 12 in. diam: bears N62 E. 14 miles dist; to          Do 12 " " " S77 W. 36 " "          Set a trip[?] post for the cor. of Towns 12. 12. &amp; 13. 13.</p>



T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind. c.)

N. R. 12 W. 2<sup>nd</sup> Mer. Indiana

Land similar to the last mile. South  $\frac{1}{2}$  rolling; & the North  $\frac{1}{2}$  level; Timber Beech, Sugar, Hickory &c

### North Boundary

a. 51

Jan 6<sup>th</sup> 1899.

Variation 5° 35'

West On a Random line on the South Boundary of Sec. 36. T. N. 13. N. R. N. 2 W. 2<sup>nd</sup> Mer.

20.00 To a Brook 8 miles wide; Course N.E.

40.00 Set a temporary post for the cor. to the  $\frac{1}{4}$  Sec.

80.00 Set " " " " " " to Sec. 35 & 36. T. N. 13. N. R. N. 2 W. Land rolling and good for farming Timber Beech, Sugar, Poplar and ash

West On a Random line on the South Boundary of Sec. 35. T. N. 13. N. R. N. 2 W.

36.00 To a Brook 3 miles wide; Course N.

40.00 Set a temporary post for the cor. to the  $\frac{1}{4}$  Sec.

61.00 To a Brook 10 miles wide; Course N.

66.00 " " " 3 " " " "

80.00 Set a temporary post for the cor. to Sec. 34 & 35. T. N. 13. N. R. N. 2 W. Land soil and timber same as on the last mile

West On a Random line on the South Boundary of Sec. 34. T. N. 13. N. R. N. 2 W.

40.00 Set a temporary post on the true line for the cor. to the  $\frac{1}{4}$  Sec.

41.00 To a Brook 6 miles wide; Course South.

80.00 Set a temporary post for the cor. to Sec. 33 & 34. T. N. 13. N. R. N. 2 W. Land soil and timber same as on the last mile

West On a Random line on the South Boundary of Sec. 33. T. N. 13. N. R. N. 2 W.



453

T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 277. 2<sup>nd</sup> Mer. Ind.<sup>n</sup>

40.00	Set a temporary post for the cor. to the 1/4 sec.
80.00	Set " " " " " " " " Sec. 32, 33, T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 277. Sand Soil and timber same as on the last mile.
West	On a Random line on the South Boundary of sec. 32, T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 277.
28.00	To a Brook 6 miles wide; Course N.
30.00	" " " 6 " " " "
40.00	Set a temporary post for the cor. to the 1/4 sec.
80.00	Set " " " " " " " " Sec. 31, 32, T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 277. Sand Soil and timber same as on the last mile.
West	On a Random line on the South Boundary of sec. 31, T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 277.
40.00	Set a temporary post for the cor. to the 1/4 sec.
42.00	To a Brook 30 miles wide; Course N.
75.47	Intersected the N.S. Range line between Ranges 21377. 60 miles North of the temporary Township Cor. T. 12, 13. R. 21377. Sand Soil and timber same as last mile; rich and good for farming.
East	On a true line on the South Boundary of sec. 31, T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 277. 2 <sup>nd</sup> Mer. D. 68
35.47	Set the temporary post on the true line for the cor. to the 1/4 sec. from which a W. Oak 30 in. dia. bears S 65 E. 3 miles west; to a W. Oak 30 " " " N 74 W. 13 " "
75.47	Set the temporary post on the true line for the cor. to Sec. 31 & 32, T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 277. from which a Beech 20 in. diam. bears N 68 W. 30 miles west; and a Do. 30 " " " S 28 E. 17
East	On the true line on the South Boundary of sec. 32, T. N <sup>o</sup> 13.

T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

	N.R. N <sup>o</sup> 27. 2 <sup>nd</sup> Mer.	
40.00	Set the temporary post on the true line for the cor. to the 1/4 sec. from which a Beech 12 in. dia. bears N 36 W. 21 links dist. and a Do 9 " " " S 76 E. 28 " "	
80.00	Set a post on the true line for the cor. to the 1/4 sec. 32. & 33. T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 27. from which a Beech 18 in. dia. bears S 63 W. 14 links dist. and a Poplar 12 " " " S 83 E. 19 " "	
East	On a true line on the South Boundary of sec. 33. T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 27.	
40.00	Set the temporary post on the true line for the cor. to the 1/4 sec. from which a Beech 27 in. dia. bears S 85 W. 15 links dist. to a Do 18 " " " N 74 E. 34 " "	
80.00	Set the temporary post on the true line for the cor. to sec. 33. & 34. T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 27. from which a Beech 14 in. dia. bears West. 7 links dist. and a Do 9 " " " S 44 E. 7 " "	See
East	On a true line on the South Boundary of sec. 34. T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 27. 2 <sup>nd</sup> Mer.	
40.00	Set the temporary post on the true line for the cor. to 1/4 sec. from which a Beech 12 in. dia. bears N 49 W. 24 links dist. to a Do 12 " " " N 68 E. 30 " "	See
80.00	Set the temporary post on the true line for the cor. to sec. 34 & 35. T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 27. from which an Oak 9 in. dia. bears S 64 W. 9 links dist. and a Sugar 9 " " " N.	See
East	On a true line on the South Boundary of sec. 35. T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 27.	
40.00	Set the temporary post on the true line for the cor. to the 1/4 sec. from which a Beech 27 in. dia. bears S 24 W. 21 links dist. to	

T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.

80.00 Buck 10 in. dia. bears N 35 E. 14 miles dist; and  
 Set the temp. post on the true line for the cor. of sec. 35 &  
 36. T. N. 13. N. R. N. 2 W. from which a  
 Sassafras 12 in. dia. bears S 74 W. 4 miles dist; and a  
 Do 12 " " " N 38 E. 30 " "

East On a true line On the South Bound. of Sec. 36. T. N. 13.  
 N. R. N. 2 W. 2<sup>nd</sup> Mer.  
 40.00 Set the temp. post on the true line for the cor. to the 1/4 sec.  
 from which a Sugar 12 in. dia. bears S 87 W. 17 miles dist  
 and a Hickory 18 " " " S 30 E. 1 " "  
 80.00 To the cor. of Towns 12. 12 & 13. 13. N. R. 1 1/2 W.

West Boundary Not 620' a. 35

North On the East Bound. of Sec. 36. T. N. 12. N. R. N. 3 W.  
 10.00 To a Brook 12 miles mid; course N. E.  
 40.00 Set a post for the cor. of the 1/4 sec. from which a  
 Poplar 18 in. dia. bears S 73 E. 5 miles dist; and a  
 W. Oak 30 " " " N 80 W. 34 " "  
 50.00 To a Brook 10 miles mid; course East  
 70.00 " " " 8 " " " West  
 79.80 " " " 8 " " " East  
 80.00 Set a post for the cor. of sec. 25 & 36. T. N. 12. N. R. 3 W.  
 from which a Buck 24 in. dia. bears N 1 E. 31 miles dist;  
 and a Do 27 " " " N 13 W. 54 " "  
 Lands level and 2<sup>nd</sup> rate: Timber Buck, Oak, Sugar  
 & Ash. &c.

North On the East Bound. of Sec. 25 T. N. 12. N. R. N. 3 W.  
 40.00 Set a half mile post for the cor. to 1/4 sec from which a  
 Hickory 15 in. dia. bears N 79 E. 18 miles dist; and a  
 W. Oak 36 " " " S 56 W. 25 " "  
 71.00 To a Brook 10 miles mid; course West.

T. N<sup>o</sup> 12. N. R. N<sup>o</sup> 27<sup>th</sup> 2<sup>nd</sup> Mer. (Ind. 2<sup>nd</sup>)

80.00	Set a post for the cor. of Sec. 24 & 25. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 37 <sup>th</sup> from which a W. Oak 27 in. dia. bears N 34 W. 35 links dist. and a Beech 9 " " " S 5 E. 11 " " Sand soil and timber same as on the last mile
North 36.50	On the East Boundary of Sec. 24. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 37 <sup>th</sup> . To a Brook 10 links wide; Course W.
40.00	Set a post for the cor. to the 1/4 Sec. from which a Beech 9 in. dia. bears S 53 E. 9 links dist.; and a Do 14 " " " N 29 W. 11 " "
80.00	Set a post for the cor. of Sec. 13 & 24. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 37 <sup>th</sup> from which a Beech 18 in. dia. bears N 43 E. 8 links dist. and a Do 18 " " " S 76 W. 18 " " Land level and soil rather wet.
North 40.00	On the East Boundary of Sec. 13. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 37 <sup>th</sup> . Set a post for the cor. to the 1/4 Sec. from which a Cherry 18 in. dia. bears South 11 links dist.; and a Beech 24 " " " N 37 W. 34 " "
80.00	Set a post for the cor. of Sec. 12 & 13. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 37 <sup>th</sup> . from which a Beech 9 in. dia. bears S 30 W. 22 links dist.; and a Beech 9 " " " N 20 E. 29 " " Land level and good for farming; Timber Beech, Sugar, Ash, Poplar & Walnut;
North 40.00	On the East Boundary of Sec. 12. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 37 <sup>th</sup> . Set a post for the cor. to 1/4 Sec. from which a Beech 18 in. dia. bears S 77 E. 26 links dist.; and a Do 20 " " " S 67 W. 17 " "
80.00	Set a post for the cor. of Sec. 1 & 12. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 37 <sup>th</sup> . from which a Poplar 24 in. dia. bears S 65 E. 25 links dist. and a Gum 12 " " " N 51 W. 7 " " Land level and wet; Timber Beech Oak & Gum



T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

457

North On the East Boundary of Sec. 1. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 37  
 30.00 To a Brook 5 links wide; Course N.  
 40.00 Set the temporary post for the cor. to the 1/4 sec. from which  
 a Beech 24 in. dia. bears S 32 E. 7 links dist; and a  
 Do 14 " " " N 49 W. 59 " "  
 80.00 Set the temporary post for the cor. of Towns 12. 12. & 13. 13.  
 N.R. 2 & 37. Land rich and good for farming  
 Timber Beech, Sugar, Ash, Poplar, Oak, &c.

Surveyed by  
 William Harris L.S.

Subdivisions

North Section Sec. 35 & 36. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27.  
 00.00 To a Poplar 48 in. dia. Stands in the line.  
 31.71 To a Brook 13 links wide; Course S.E.  
 36.05 To a Hickory 14 in. dia. Stands in the line  
 40.00 Set a post for the cor. to the 1/4 sec. from which a  
 W. Oak 13 in. dia. bears N 38 1/2 E. 29 1/2 links dist; & a  
 W. Oak 13 " " " S 27 W. 23 " "  
 40.80 To a W. Oak 24 in. dia. Stands in the line  
 40.92 " " Sugar 10 " " " " " "  
 80.00 Set a post for the cor. to Sec. 25, 26, 35 & 36. from which  
 a Beech 14 in. dia. bears N 89 W. 23 links dist; and a  
 Hickory 16 " " " S 82 E. 25 " "  
 Land broken 2<sup>nd</sup> rate; Timber Beech, Sugar, ash,  
 Poplar, Oak, Hickory &c. Under Spruce & Birch, & Shrubs.

East On a Random line between Sec. 25 & 36. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 69.80 To a Brook 16 links wide; Course S.W.  
 81.12 Intersected the East Boundary of T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27.  
 8 links south of the post set for the cor. of Sec. 25 & 36.



T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Land very broken 2<sup>nd</sup> rate; Timber YBeech, Oak, ash,  
Sycamore; W. Spruce, Dogwood, YBeech, & Shrubs

West On the true line between Sec. 25 & 36. T. N<sup>o</sup> 12. N.R. 27.  
40.56 Set the temporary post on the true line at the aver. dist. for  
the cor. of the  $\frac{1}{4}$  Sec. from which a  
Sagum 15 in. diam. bears N. 58 W. 8 miles dist., and a  
Do 15 " " " S 86 E. 24 " "  
81.12 To the post set for the cor. of Sec. 25, 26, 35 & 36.  
Sept. 22. 1819

North Between Sec. 25 & 26. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27.  
10.25 To a Beech 17 in. diam. stands on the line  
35.00 To " " 48 " " " " "  
40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
YBeech 24 in. diam. bears N 26 E. 43 miles dist., to  
Do. 23 " " " S 37 W. 26 " "  
43.40 To a Beech 13 in. diam. stands on the line.  
73.20 " " " 20 " " " " "  
80.00 Set a post for the cor. of Sec. 23, 24, 25 & 26 from which  
YBeech 14 in. diam. bears N 32 E. 20 miles dist.; and a  
Do 24 " " " S 41 W. 18 " "  
Land level and 2<sup>nd</sup> rate; Timber YBeech, Sycamore,  
Ash, Poplar, & Walnut, &c. amongst Spruce.

East On a Random line between Sec. 24 & 25. T. N<sup>o</sup> 12. N.R. 27.  
40.00 Set a temporary post for the cor. to the  $\frac{1}{4}$  Sec. of  
52.00 To a stone quarry of Lime Stone at side of line  
80.36 Intersected the East Boundary of T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27.  
4 miles North of the post set for the cor. of Sec. 24 & 25  
Land rolling and 2<sup>nd</sup> rate; Timber YBeech, Sycamore,  
Ash, Poplar, and Hickory W. Spruce.

459

T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

West	On the true line between Sect. 24 & 25. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27. 2 <sup>nd</sup> Mer.
40.18	Set the temporary post at the corner east on the true line for the cor. of $\frac{1}{4}$ sec. from which a Sugon 18 in. dist. bears S $77^{\circ}$ W. 14 miles dist; and a No 24 " " " S $68^{\circ}$ E. 15 " "
80.36	To the post set for the cor. of sec. 23, 24, 25 & 26
North	Between Sect 23 & 24. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27.
8.03	To a Beech 24 in. dist. stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 20 in. dist. bears N $76^{\circ}$ E. 25 miles dist; and a No 17 " " " N $75^{\circ}$ W. 37 " "
49.40	To a Beech. 32 in. dist. stands in the line.
56.80	" , Brook 13 miles wide; Course N.W.
80.00	Set a post for the cor. of sec. 13, 14, 23 & 24. from which a Beech 28 in. dist. bears N $15^{\circ}$ W. 16 miles dist; and a No 24 " " " S $12^{\circ}$ W. 18 " " Lands $\frac{1}{2}$ $\frac{1}{4}$ level; 2 <sup>nd</sup> $\frac{1}{4}$ bottom 2 <sup>nd</sup> rate; Timber Beech, Sugar, Ash, Poplar, Hickory; W <sup>g</sup> Spruce.
East	On a Random line between Sect 13 & 24. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27.
35.35	To a Brook 10 miles wide; Course N.W.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
77.16	To a Spring, Course North
80.84	Intersected the East Boundary of T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27. 24 miles south of the post set for the cor. of sec. 13 & 24. Lands $\frac{1}{2}$ $\frac{1}{4}$ level and 2 <sup>nd</sup> rate; Last $\frac{1}{4}$ broken 2 <sup>nd</sup> rate; Timber Beech, Hickory, ash, Poplar and Sugar. W <sup>g</sup> Spruce.
West	On the true line between Sect. 13 & 24. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27. 2 <sup>nd</sup> Mer. Ind. <sup>a</sup>

T. N. 12. N. R. N. 27. 2<sup>nd</sup> Mer. Sud.

40.42	Set the temp. post at the corr. dist; on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears S 6 E. 24 $\frac{1}{2}$ links dist; to H <sub>9</sub> 3 " " " N 81 W. 9 " "
80.84	To the post set for the cor. of sec. 13, 14, 23, & 24. September 23 <sup>rd</sup> 1819
North	Between Sec. 13. & 14 T. N. 12. N. R. N. 27.
4.28	To a Sugar. 18 in dia. stands in the line
20.05	To a Brook 4 links wide; Course N. W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beech 6 in. dia. bears North 124 links dist; to Sugar 14 " " " S 44 W. 20 " "
40.10	To a Brook 20 links wide; Course - West.
46.00	" an ash 18 in. dia. stands in the line
70.53	" a Beech 10 " " " " " "
80.00	Set a post for the cor. of sec. 11, 12, 13, & 14 from which a Hickory 22 in. dia. bears N 2 <sup>nd</sup> 30' E. 34 links dist; to Sugar 8 " " " S 35 E. 14 " " Land broken and 2 <sup>nd</sup> rate; Timber Beech, Sugar, Poplar & Hickory (U. S. Spec.)
East	On a Random line between Sec. 12 & 13. T. N. 12. N. R. 27.
35.95	To a Brook. 6 links wide - Course -
40.00	Set a temp. post for the cor. of the $\frac{1}{4}$ sec.
41.00	To a Brook 8 links wide; Course S. W.
80.87	Intersected the East Boundary. 85 links South of the post set for the cor. of sec. 12 & 13. T. N. 12. N. R. 27. Land broken 2 <sup>nd</sup> rate; Timber Beech, Poplar, Hickory, Sugar, Oak, &c Undergrowth Spec.
West	On the true line between Sec. 12 & 13. T. N. 12. N. R. 27.
40.43 $\frac{1}{2}$	Set the temp. post at the corr. dist; on the true line

461

T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind. 9)

80.87	<p>For the cor. to the <math>\frac{1}{4}</math> Sec. from which a          Buck 10 in. dia. bears N 36 W. 18 miles dist; and a          Do. 12 " " " N 62 E. 37 " "</p> <p>Set the post for the cor. of Sec. 11. 12. 13. &amp; 14.</p>
North	Between Sec. 11. & 12. T. N. 12. N. R. N. 2 W.
17.37	To a Sugar 14 in. dia. stands in the line.
22.00	To a Brook 9 miles wide; Course N.
32.44	" " Buck 24 in. dia. stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Elm 22 in. dia. stands N 15 E. 12 miles dist; and a Buck 7 " " " S 22 W. 17 " "
42.50	To a Brook 6 miles wide; Course S. W.
44.43	" " Buck 20 in. dia. stands in the line.
72.60	To a Brook 12 miles wide; Course N.
73.64	" " Sugar 20 in. dia. stands in the line.
80.00	Set a post for the cor. of Sec. 1. 2. 11. & 12 from which a Buck 24 in. dia. bears S 4 W. 40 miles dist; and a Do. 24 " " " N 20 E. 45 " " Land nothing and 2 <sup>nd</sup> rate; Timber Buck, Sugar, Ash & Hickory; N. 9 Spruce.
East	On a Random line between Sec. 1. & 12. T. N. 12.
7.75	To a Brook 7 miles wide; Course S. W.
40.00	Set a temp. post for the cor. to the $\frac{1}{4}$ Sec.
81.63	Intersected the East Boundary of T. N. 12. N. R. N. 2 W. 86 yds South of the post set for the cor. of Sec. 1. & 12. Land N. $\frac{1}{2}$ level; 2 <sup>nd</sup> $\frac{1}{2}$ bottom and 2 <sup>nd</sup> rate. Timber Buck, Sugar, Poplar, & Hickory N. 9 Spruce.
West	On the true line between Sec. 1. & 12. T. N. 12. N. R. 2 W.
40.51 p	Set the temp. post at the cor. dist; on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a



T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ind.<sup>e</sup>

81.03	<p>Beck 20 in. dia: bears N23 E. 11 miles dist; and a          Do 13 " " " S28 N. 30 " "          To the post set for the cor. of Sec. 1, 2, 11. &amp; 12.</p>
North	Between Sec. 1 & 2. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27.
12.10	To a Beck 20 in. dia: stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Beck 12 in. dia: bears S41 N. 26 miles dist; and a Dogwood 5 " " " N39 E. 27 " "
51.85	To a Hickory 24 in. dia: stands in the line
69.78	" " Beck 24 " " " " " "
82.00	Intersected the North Boundary of T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27. W. 114 links West of the post set for the cor. of Sec. 35 & 36. T. N <sup>o</sup> 13. N.R. N <sup>o</sup> 27. and set a post for the cor. of Sec. 1 & 2. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27. from which a Beck 13 in. dia: bears S15 N. 19 miles dist; and a Poplar 22 " " " N9 E. 30 " " Lands rolling and 2 <sup>nd</sup> rate; Timber Beck, Sugar, Gum, Hickory, Ash, & Poplar & (W.) Spruce
North	Between Sec. 35 & 34 T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27.
4.65	To a Birch 10 links wide; Course South.
22.20	" " " 10 " " " "
27.51	" " " 10 " " " S.W.
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Hickory 36 in. dia: bears N35 $\frac{1}{2}$ E. 20 miles dist; & a Beck 14 " " " S47 N. 37 " " 24 <sup>th</sup> Sept. 1819
40.75	To a Beck 18 in. dia: stands in the line
79.58	" " " 18 " " " " " "
80.00	Set a post for the cor. to Sec. 26, 27, 34, & 35 from which Hickory 26 in. dia: bears S29 N. 36 miles dist; and a Beck 14 " " " N3 $\frac{1}{2}$ E. 23 " "



T. N<sup>o</sup> 12. N. R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Indians

Land best and 2<sup>nd</sup> rate; Timber Beech, Hickory,  
Sugar & White Oak. Undergrowth Spruce.

East	On a Random line between Sec. 26 & 35, T. N <sup>o</sup> 12 N. R. 27.
40.00	Set a temporary post for the cor. to the 1/4 Sec.
59.01	To a Brook 10 miles wide; Course S. E.
80.90	Intersected the N. R. line. 1.80 ch. North of the post set for the cor. of Sec. 25, 26, 35, & 36. Land 1 <sup>st</sup> 1/2 rolling, 2 <sup>nd</sup> 1/2 hilly and 3 <sup>rd</sup> rate; Timber Beech, Sugar, Hickory & some Mahogany, N.Y. Spruce.
West	On a true line between Sec. 26 & 35, T. N <sup>o</sup> 12 N. R. 27.
40.45	Set the temporary post at the above distance on the true line for the cor. to the 1/4 Sec. from which a Sugar 14 in. diam. bears S 1/2 W. 24 miles dist; and a Do 18 " " " N 60 E. 1/2 " "
80.90	To the post on the line for cor. of Sec. 26, 27, 34 & 35.
North	Between Sec. 26 & 27, T. N <sup>o</sup> 12 N. R. 27.
3.30	To a W. Oak 36 in. diam. stands in the line.
30.59	" " Beech 24 " " " " " "
40.00	Set a post for the cor. to the 1/4 Sec. from which a Poplar 6 in. diam. bears S 82 E. 12 miles dist; and a Sugar 15 " " " S 83 W. 29 " "
47.00	To a Sugar 18 in. diam. stands in the line
78.51	" " Beech 10 " " " " " "
80.00	Set a post for the cor. to Sec. 22, 23, 26, & 27 from which a Beech 10 in. diam. bears N 48 W 6 miles dist; and a Beech 24 " " " S 28 1/2 E. 42 1/2 " " "
	Land best and 2 <sup>nd</sup> rate; Timber Beech, Sugar, W. Oak, & Hickory; N.Y. Spruce
East	On a Random line between Sec. 23 & 26, T. N <sup>o</sup> 12 N. R. 27.

T. N. 12. N. R. N. 27. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
80.65	Intersected East Boundary or N. 15 line 4 miles N. of the post set for the cor. of Sec. 23, 24, 25 & 26. Saw nothing and 2 <sup>nd</sup> rate; Timber Beech, Sugar, Ash, Poplar, Hickory and W. Oak, W. Spruce.
West	On a true line between Sec. 23 & 26. T. N. 12. N. R. N. 27.
40.32 $\frac{1}{2}$	Set the temporary post at the above distance on the true line for the cor. to $\frac{1}{4}$ Sec. from which a Gum 24 in. dia? bears N 88 E. 24 miles dist; and a Hickory 22 " " " S 38 W. 45 " "
80.65	Set the post for the cor. of Sec. 22, 23, 26 & 27.
North	Between Sec. 22 & 23. T. N. 12. N. R. N. 27.
9.45	To a Sp. Oak 16 in. dia? It stands in the line
31.50	To a Brook 10 miles wide; Course N. W.
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 4 in. dia? bears N 85 E. 4 miles dist; and a Do 6 " " " S 73 W. 6 " "
51.90	To a Beech 18 in. dia? bears in the line
54.50	" " Brook 4 miles wide; Course N. W.
60.59	" " " 10 " " " West
65.83	To a Beech 22 in. dia? It stands in the line.
80.00	Set a post for the cor. of Sec. 14, 15, 22, & 23 from which a Sugar 18 in. dia? bears S 9 W. 24 miles dist; and a Beech 15 " " " N 42 W. 30 " " Saw nothing and 2 <sup>nd</sup> rate; Timber Beech, Sugar, Ash, Spanish Oak; W. Spruce Lasso-far & Hickory Quits
East	On a Random line between Sec. 14 & 23. T. N. 12. N. R. N. 27.
30.11	To a Brook 10 miles wide; Course N.
39.50	" " " 5 " " " N. W.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ Sec.

463

T. N<sup>o</sup> 12. N. R. N<sup>o</sup> 2 M. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

69.75	To a Brook 30 miles wide; Course N. W.
80.20	Intersected the N. & S. line 24 miles North of the first set for the cor. of sec. 13, 14, 23, & 24. Land Broken & 2 <sup>nd</sup> rate; Timber Beech, Ash, Sugar, Poplar, Hickory; Undergrowth Spices
West 40.10	On a true line between Sec. 14 & 23. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 M. Set the trip <sup>st</sup> post at the above distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a " Beech 16 in. diam. bears N 46° W. 9 miles dist; and a " No 10 " " " S 22° E. 30 " "
80.20	To the first set for the cor. of sec. 14, 15, 23, & 23.
North 20.24	Between Sec. 14 & 15 T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 M. To a Beech 12 in. diam. stands on the line.
27.30	" " " Brook 15 miles wide; Course N. W.
36.00	" " " Beech 15 in. diam. stands on the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a " W. Oak. 36 in. diam. bears N 24° E. 24 $\frac{1}{2}$ miles dist; to " Beech 5 " " " S 72° W. 4 $\frac{1}{2}$ " "
43.10	To a Beech 22 in. diam. stands on the line
73.00	To a Brook 4 miles wide; Course West.
80.00	Set a post for the cor. of sec. 10, 11, 14, & 15 from which a " Beech 20 in. diam. bears S 62° E. 10 miles dist; and a " Beech 23 " " " S 81° W. 30 " " Land Broken 2 <sup>nd</sup> rate; Timber Beech, Oak, Sugar, Ash, and Poplar. Undergrowth Beech, Hogwood & Spice Shrubs &c. Nov. 26. 1819.
East 40.00	On a Random line between Sec. 11 & 14. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 M. Set a trip <sup>st</sup> post for the cor. to $\frac{1}{4}$ sec.
80.50	Intersected the N. & S. line 1.80 ch North of the first set for the cor. of sec. 11, 12, 13, & 14. Land 2 <sup>nd</sup> rate

*T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. Sud.*

Timber Beech, Hickory, Oak, Sugar, Ash, Poplar  
to mudright Spruce. Beech, Dogwood & Gruts.

*West* On the true line between *Sud. 11 & 14. T. N. 12. N. R. 2 W.*  
40.25 Set the temporary post at the avor. dist. on the true line  
for the cor. to the  $\frac{1}{4}$  Sec. from which a  
Buck 22 in. diam. bears South 8 links dist; and a  
do 28 " " " N 10 W. 21 " "  
80.50 To the post set for the cor. of *Sud. 10. 11. 14. 15. T. 12 N. R. 2 W.*

*North* Between *Sud. 10. & 11. T. N. 12. N. R. N. 2 W.*  
8.70 To an Elm 24 in. diam. stands in the line.  
10.00 To a Brook 20 links wide; Course S. W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Dogwood 5 in. diam. bears N 62 W. 5  $\frac{1}{2}$  links dist; to  
do 5 " " " S 51  $\frac{1}{2}$  E. 36 " "  
42.50 To a Buck 20 in. diam. stands in the line.  
80.00 Set a post for the cor. to *Sud. 2, 3, 10. & 11.* from which a  
B. Gum 20 in. diam. bears N 13 E. 35 links dist; to  
Hickory - " " " S 25 W. 15 " "  
Land 1<sup>st</sup>  $\frac{1}{2}$  broken 2<sup>nd</sup> rate; 2<sup>nd</sup> half land and 2<sup>nd</sup>  
rate; Timber Buck, Ash, Oak, Poplar Gum & Su-  
gar. W. Spruce Ironwood & Buck. Gruts

*East* On a Random line between *Sud. 2 & 11. T. N. 12. N. R. 2 W.*  
18.70 To a Brook 16 links wide; Course S.  
40.00 Set a temporary post for the cor. to the  $\frac{1}{4}$  Sec.  
59.90 To a Brook 10 links wide; Course S.  
80.30 Intersect the N. 88 line 216 ch. North of the post. Set  
for the cor. of *Sud. 1. 2. 11. & 12*  
Land land and 2<sup>nd</sup> rate; Timber Buck, Ash, Poplar  
& Hickory; Ironwood & Dogwood, W. J. Oak Gruts



T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

West  
40.15 On the true line between Sec. 2 & 11 T. N<sup>o</sup> 12 N.R. 27  
Set the tump<sup>y</sup> apart at the aver. dist; on the true line for  
the cor. to  $\frac{1}{4}$  Sec. from which a  
Beech 19 in. dia. bears N 16 W. 12  $\frac{1}{2}$  miles dist; and a  
Hick<sup>y</sup> 18 " " S 53 W. 39 " "  
80.30 To the first set for the cor. of sec. 2, 3, 10 & 11.

North  
3.54 Between Sec. 2 & 3. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27.  
40.00 To a W Oak 66 in. dia. stands in the line  
Set apart for the cor. to the  $\frac{1}{4}$  Sec. from which a  
Beech 20 in. dia. bears North 1 mile dist; and a  
Hick<sup>y</sup> 24 " " N 70 W. 38 " "  
42.75 To a White Oak 24 in. dia. stands in the line  
80.25 Intersected the North Branching 76 miles West of  
of the first set for the cor. of sec. 34 & 35. T. N<sup>o</sup> 13.  
N.R. N<sup>o</sup> 27. and set apart for the cor. to Sec. 2 & 3.  
T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27 from which a  
Beech 10 in. dia. bears N 88 W. 20 miles dist; to  
do 8 " " N 69 E. 14 " "  
Lands level and 2<sup>nd</sup> rate; Timber Beech, Oak, Hick<sup>y</sup>  
ash and poplar. W. G. Spruce. Ironwood, Dogwood  
& Beech Grubs

North  
3.20 Between Sec. 33 & 34. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27.  
17.40 To a Beech 42 in. dia. stands in the line.  
20.20 To a Spring 16 miles wide; Course S.E.  
32.30 To a steep Cliff of Rocks  
40.00 To a Beech 28 in. dia. stands in the line.  
Set apart for the cor. to the  $\frac{1}{4}$  Sec. from which a  
Beech 13 in. dia. bears N 1<sup>st</sup>  $\frac{1}{2}$  W. 12 miles dist; to  
do 36 " " S 19 E. 29 " "  
43.94 To a Beech 13 in. dia. stands in the line.  
73.75 To a Brook 4 miles wide; Course S.E.



## T. N. 12. N. R. N. 27. 2nd Mer Ind.

80.00	Set a post for the cor. of sec. 27, 28, 33, & 34 from which a 4 Buck 10 in. dia. bears N 2 1/2 W. 10 links dist; & a do 20 " " " S 88 W. 14, " " Land R. 1/4 broken 2nd rate; 2nd 1/4 land 2nd rate Timber 4 Buck, Sugar, Ash, Oak, & Poplar, Underg <sup>th</sup> Spice, & Brush, Shrubs.
East	On a Random line between Sec. 27 & 34
40.00	Set a temp. post for the cor. to 1/4 sec.
80.07	Intersected the N. S. line 109 links North of the post set for the cor. of sec. 26, 27, 34 & 35 Land had and 2nd rate; Timber 4 Buck, Ash, Hickory & Guts Underg <sup>th</sup> Spice
West	On a true line between Sec. 27 & 34, T. N. 12. N. R. N. 27.
40.03 1/2	Set the temp. post at the avor. dist. on the true line for the cor. to 1/4 sec. from which a 4 Buck 30 in. dia. bears S. 38 W. 52 links dist; and a 4 Buck 18 " " " N 43 E. 18 " " 80.07 To the post on the line for the cor. of sec. 27, 28, 33 & 34
North	Between Sec. 27 & 28 T. N. 12. N. R. N. 27.
5.85	To a W Oak 42 in. dia. stands on the line.
40.00	Set a post for the cor. to the 1/4 sec. from which a 4 Buck 20 in. dia. bears N 81 E. 33 links dist; and a do 12 " " " S 40 E. 6 1/2 " " 53.70 To a Maple 36 in. dia. stands on the line
80.00	Set a post for the cor. of sec. 21, 22, 27 & 28 from which a 4 Buck 22 in. dia. bears S 41 W. 8 1/2 links dist; and a do 18 " " " N 26 E. 22 " " Land had and 2nd rate; Timber 4 Buck, Sugar Ash, Oak, and Poplar. Underg <sup>th</sup> Brush & Spice

469

T. N. 12. N. R. N. 2 N. 2<sup>nd</sup> Mer. Ind.<sup>c</sup>

East	On a Random line between Sec. 22. & 27. T. N. 12. N. R. 2 <sup>nd</sup> Mer.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
55.87	To a Brook 13 miles wide; Course N.
64.10	" " " " " " " " " " " "
80.00	Intersected the N. & S. line 102 miles North of the post set for the cor. of Sec. 22, 23, 26, & 27. Land is level and 2 <sup>nd</sup> rate; Timber Beech, Sugar, Oak, Hickory, Ash, & Yellow Pine
West	On the true line between Sec. 22. & 27. T. N. 12. N. R. 2 <sup>nd</sup> Mer.
40.00	Set the temporary post at the aver. dist. on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Sugar. 20 in. diam. bears S 5 E. 20 miles dist., and a Sugar 32 " " " N 27. 9 " "
80.00	To the post set for the cor. of Sec. 21, 22, 27, & 28. Nov. 27 <sup>th</sup> 1819
North	Between Sec. 21. & 22 T. N. 12. N. R. N. 2 <sup>nd</sup> Mer.
10.74	To an Ash 30 in. diam. stands in the line.
30.83	" " " " " " " " " " " "
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Beech 20 in. diam. bears N 15 W. 37 miles dist.; to do 26 " " " S 15 E. 57 " "
42.82	To a Beech 22 in. diam. stands in the line.
80.00	Set a post for the cor. to Sec. 15, 16, 21, & 22 from which a Beech 20 in. diam. bears S 77 W. 29 miles dist., and to do 11 " " " N 44 E. 31 " "
	Land is level and 2 <sup>nd</sup> rate; Timber Beech, Sugar, Walnut, Ash, Oak, Poplar & Yellow Pine.
East	On a Random line between Sec. 15 & 22 T. N. 12. N. R. 2 <sup>nd</sup> Mer.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ Sec.
59.59	To a Brook 12 miles wide; Course N. W.

T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Ind.)

80.46	Intersected the East Boundary or N 18' line 45 miles S. of the first cut for the cor. to Sec. 22, 23, 14 & 15. Lands here and 2 <sup>nd</sup> rate; Timber Beech, Ash, Sugar, Oak, Hickory Gum, Maple & U. S. Spruce & Birch.
West 40.23	On the true line between Sec. 15 & 22 T. N <sup>o</sup> 12. N.R. 27. Cut the timber; first at the above dish on the true line for the cor. to $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears N 58 W. 18 miles dist; and a Do 10 " " " S 47 E. 31. " "
80.46	To the first cut for the cor. of Sec. 15, 16, 21 & 22
North	Between Sec. 15 & 16. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 27.
93.00	Entered Wat Bottom
16.17	To a Maple 24 in. dia. stands in the line.
36.00	To a Brook 25 miles mid; Course S.W.
40.00	Cut a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears S 5 E. 17 miles dist; and a Ash 18 " " " N 17 W. 48 " "
46.10	To a Beech 10 in. dia. stands in the line
47.00	Left Bottom & Entered high land.
60.75	To a Spring; Course West.
61.90	To a W. Oak 60 in. dia. stands in the line
80.00	Cut a post for the cor. to Sec. 9, 10, 15, & 16. from which a Beech 17 in. dia. bears N 6 W. 13 $\frac{1}{2}$ miles dist; & a Do 28 " " " N 49 E. 36 " " Lands 1 <sup>st</sup> $\frac{1}{2}$ land; 2 <sup>nd</sup> half broken 2 <sup>nd</sup> rate; Timber Beech, Oak, Hickory, Maple, Sugar, U. S. Beech, Dogwood, Ironwood, & Brantles
East	On a Random line between Sec. 10 & 15 T. N <sup>o</sup> 12. N.R. 27.
40.00	Cut a timber; first for the cor. to $\frac{1}{4}$ sec.
72.50	Entered bottom
79.65	To a Brook 20 miles mid; Course S.W.

471

T. N<sup>o</sup> 12. N. R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

80.10	Left Bottom
80.50	Intersected the N. S. line 24 links south of the first set for the cor. of Sec. 10, 11, 14 & 15. Land so level and in clearing for bet: 2 <sup>nd</sup> rate. Timber Beech, Oak, Hickory, Sugar & Maple.
West	On the true line between Sec. 10 & 15 T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 W.
40.25	Set the temporary post at the avor. dist. on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 15 in. dia. bears N 89 E. 15 links dist. and a Maple 30 " " " N 71 W. 30 " "
80.50	To the first set for the cor. to Sec. 9, 10, 15 & 16.
North	Between Sec. 9 & 10. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 W.
10.46	To a Beech 20 in. dia. bears in the line
15.00	Entered Bottom
17.80	To a Spring Course W.
31.00	To a Brook 16 links wide, Course S. W.
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 24 in. dia. bears North 24 links dist. and a Do 23 " " " S 77. 22 " "
43.50	Left Bottom.
59.80	To a Beech 18 in. dia. stands in the line
80.00	Set a post for the cor. of Sec. 3, 4, 9 & 10 from which a Beech 19 in. dia. bears S 20 E. 17 links dist. and a Sugar 11 " " " N 37 W. 29 $\frac{1}{2}$ " " Land Rolling and 2 <sup>nd</sup> rate; Timber Beech, Oak, Ash, Sugar, Hickory, & Poplar; Undergrowth Spruce, Beech, Ash, Hickory & Oak Saws
East	On a Random line between Sec. 3 & 10 T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 2 W.
20.50	To a Brook 14 links wide, Course South.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ Sec.



## T. N. 12 N. R. N. 2 W. 2nd Mer. (Ind.)

52.90	To a Brook 9 miles wide; Corner N. W.
80.75	Intersected the N. 18 line 45 miles North of the first Set for the cor. of Sec. 2, 3, 10 & 11. Land 1 <sup>st</sup> 1/2 mile broken. 2 <sup>nd</sup> 1/2 m. rolling 2 <sup>nd</sup> rate; Timber Beech, Hickory Oak &c. Sugar Undergrowth Spice ash, and Oak Grub.
West	On the true line between Sec. 3 & 10 T. N. 12 N. R. N. 2 W.
40.37 1/2	Set the (true) post at the avor. dist in the true line for the cor. to the 1/4 Sec. from which a Beech 24 in. diam. bears N 65 E. 17 miles dist; and a Sugar 12 " " " S 41 W. 21 " "
80.75	To the post set for the cor. to 3, 4, 9 & 10.
North	Between Sec. 3 & 4, T. N. 12 N. R. N. 2 W.
17.20	To a Beech 23 in. diam. Stands in the line
40.00	Set a post for the cor. to 1/4 Sec. from which a Beech 20 in. diam. Stands S 55 E. 21 miles dist; and a Hickory 21. " " " S 74 W. 17 " "
53.50	To a Beech 15 in. diam. Stands in the line
80.59	Intersected the N. Boundary of T. N. 12 N. R. N. 2 W. 160 miles West of the first set for the cor. to Sec. 3, 13 & 14 T. N. 13 N. R. N. 2 W. and set a post for the cor. to Sec. 3 & 4 from which a Beech 22 in. diam. bears N 19 E. 15 1/2 miles dist; and a Hickory 14 in. diam. bears S 36 W. 26 1/2 miles dist. Land, good and 2 <sup>nd</sup> rate; Timber Beech, Oak, Hickory Ash, and Poplar Undergrowth Spice, &c.
North	Between Sec. 32 & 33 T. N. 12 N. R. N. 2 W.
20.09	To an Oak 30 in. diam. Stands in the line
40.00	Set a post for the cor. to 1/4 Sec. from which a W. Oak 30 in. diam. bears North 19 miles dist; and a Beech 18 " " " S 11 W. 39 " "
44.84	To a Beech 18 in. diam. Stands in the line

T. N<sup>o</sup> 12 N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.

80.00	Set a post for the cor. to sec. 28. 29. 32. & 33. from which a W. Oak 36 in. dia. bears N 47 N. 62 miles dist; and a Hickory 24 " " " S 49 E. 18 " " Sand bar and 2 <sup>nd</sup> rate; Timber Beech, Oak, Hickory and Ash, Undergrowth Spruce. Nov. 28. 1819
East	On a random line between Sec. 28. & 33. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W.
40.00	Set a temporary post for the cor. to 1/4 sec.
44.45	To a Brook. 10 miles wide; Course South.
80.40	Intersected the East Boundary on N. & S. line 144 miles North of the post set for the cor. of sec. 27. 28. 33. & 34 Sand bar and 2 <sup>nd</sup> rate; Timber Beech, Oak, Hickory and Ash, Undergrowth Spruce.
West	On the true line between Sec. 28. & 33. T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W.
40.20	Set the temporary post on the true line at the aver. dist; for the cor. to the 1/4 sec. from which a Beech 20 in. dia. bears S 78 E. 5 1/2 miles dist; and a Do 7 " " " S 57 E. 11.29 " "
80.40	To the post set for the cor. to sec. 28. 29. 32. & 33.
North	Between Sec. 28. & 29 T. N <sup>o</sup> 12. N.R. N <sup>o</sup> 2 W.
9.85	To a Beech 12 in. dia. Stands in the line
40.00	Set a post for the cor. to the 1/4 sec. from which a Maple 24 in. dia. bears S 78 E. 41 miles dist; and a Hickory 26 " " " N 70 W. 27 " "
52.78	To a Beech 18 in. dia. Stands in the line
80.00	Set a post for the cor. to sec. 20. 21. 28. & 29. from which a Beech 34 in dia bears N 82 E. 14 miles dist; and a Poplar 18 " " " N 37 W. 33 1/2 " "
	Sand bar and 2 <sup>nd</sup> rate; and Ashy; Timber Beech, Hickory, maple Oak, Ash and some Poplar & W. Spruce

T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

East	On a Random line between Sec. 21. & 28 T. N. 12. N. R. 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.23	Intersected the N. & S. line 136 links North of the Post set for the cor. to Sec. 21. 22. 27. & 28. Sawd wood not and slashy 2 <sup>nd</sup> rate, Timber Beech Hickory Maple Ash, Oak &c. Mudg <sup>th</sup> Spruce.
West	On the true line between Sec. 21. & 28 T. N. 12. N. R. 2 W.
40.11 $\frac{1}{2}$	Set the temporary post at the cor. dish; on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 22 in. diam. bears S 2 E. 33 links dish; and a Sp. Oak 12 " " " N 6 W. 34 " "
80.23	To the post set for the cor. to Sec. 20. 21. 28. & 29
North	Between Sec. 20. & 21. T. N. 12. N. R. 2 W.
33.15	To a Gum 20 in. diam. stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Ash. 30 in. diam. bears N 87 E. 69 links dish; and a Beech 7 " " " N 46 W. 47 " " Made the $\frac{1}{4}$ sec. cor. on a Gum 38 in. diam. in the line.
51.27	To a Beech 24 in. diam. stands in the line
80.00	Set a post for the cor. to Sec. 16. 17. 20. & 21 from which a Beech 12 in. diam. bears S 54 E. 34 links dish; and a Do 5 " " " S 74 W. 19 " " Sawd wood 1 <sup>st</sup> $\frac{1}{2}$ mile 2 <sup>nd</sup> rate; 2 <sup>nd</sup> $\frac{1}{2}$ mile 1 <sup>st</sup> rate. Timber Beech, Oak, Ash, Hickory, Poplar & Walnut Mudg <sup>th</sup> Spruce.
East	On a Random line between Sec. 16. & 21. T. N. 12. N. R. 2 W.
40.00	Set the temporary post for the cor. to $\frac{1}{4}$ sec.
63.00	Entered Bottom
77.00	Left Bottom
80.20	Intersected the East Boundary or N. & S. line 139 links

T. N. 12. N. R. N. 27. 2<sup>nd</sup> W. Sec. 16.

	North of the post. Set for the cor. to sec. 15. 16. 21. & 22. Lands level and rich; Timber Beech, Oak, Ash, Poplar, Hickory, Gum & Walnut. No Spruce
West	On the true line between Sec. 16. & 21. T. N. 12. N. R. N. 27.
40.10	Set the temporary post at the cor. set on the true line for the cor. to the 1/4 Sec. from which a Beech 27 in. dia. bears S 82 E. 24 links dist; to Sugar 19 " " " S 68 W. 24 " "
80.20	Set the post on the line for the cor. of sec. 16. 17. 20 & 21
North	Between Sec. 16. & 17. T. N. 12. N. R. N. 27.
20.30	Set a Hickory 24 in. dia. It stands in the line
40.00	Set a post for the cor. to the 1/4 Sec. from which a Beech 13 in. dia. bears N 39 E. 10 links dist; and a Hickory 22 " " " S 39 W. 33 " "
55.22	Set a W. Oak 24 in. dia. It stands in the line.
80.00	Set a post for the cor. of sec. 8. 9. 16. & 17 from which a Oak 4 in. dia. bears S 59 E. 8 links dist; and a Beech 18 " " " N 88 W. 33. " " Lands 1 <sup>st</sup> & 2 <sup>nd</sup> rate; 2 <sup>nd</sup> & 3 <sup>rd</sup> broken 2 <sup>nd</sup> rate; and very brushy; Timber Beech Oak, Hickory and Ash; Under Hickory Oak Spruce Maple and ash Guts with briars on the last 1/4.
East	On a random line between Sec. 9 & 16. T. N. 12. N. R. 27.
6.00	Entered Swamp
20.00	Entered Wet bottom
32.00	To a Brook 35 links wide; Course N. W.
40.00	Set a temporary post for the cor. to the 1/4 Sec.
54.55	To a Brook 25 links wide; Course S. W.
63.50	Left the Bottom.



T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.

80.28	Intersected the N+S line 131 links North of the post set for the cor. to sec. 9. 10. 15 & 16. Land level and 2 <sup>nd</sup> rate; Timber Beech, Oak Elm, Hickory and maple W. Extreme Spice Logwood. and other Bush & trees
West	On the true line between Sec. 9. & 16. T. N. 12. N. R. N. 2 W.
40.14	Set the temporary post on the true line at the aver. dist. for the cor. to $\frac{1}{4}$ sec. from which a Beech 20 in. dia. bears N 18 W. 16 links dist; and a Do. 14 " " " S 46 E. 23 " "
80.28	Go to the post set for the cor. to sec. 8. 9. 16. & 17
North	Between Sec. 8. & 9. T. N. 12. N. R. N. 2 W.
15.28	To a Hickory 18 in. dia. stands in the line
16.50	Entered bottom
32.40	To a Beech 20 links wide; Course N. W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 13 in. dia. bears N 14 E. 10 $\frac{1}{2}$ links dist; and a Do. 14 " " " S 11 W. 37 " "
112.40	To a Beech 14 in. dia. stands in the line.
50.00	Left Bottom
80.00	Made the cor. to sec. 4, 5, 8 & 9 on a White Oak 36 in. dia. from which a Hickory 12 in. dia. bears N 28 W. 14 links dist; & a White Oak 36 " " " S 49 E. 19 " " Land level and 2 <sup>nd</sup> rate; Timber Beech, Oak, & Hickory Undergrowth Spice Beech, Ash. Ironwood & Logwood trees 29 <sup>th</sup> Nov. 1819
East	On a Meridian line between Sec. 4 & 9. T. N. 12. N. R. N. 2 W.
32.95	To a Beech 5 links wide; Course N. W.
40.00	Set the temporary post for the cor. to the $\frac{1}{4}$ sec.
80.39	Intersected the East Boundary or N+S line 139 links

477

T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.

Depth of the post set for the cor. to sec 3, 4, 9, & 10  
 Lands 1<sup>st</sup> 1/2 level; 2<sup>nd</sup> half Broken 2<sup>nd</sup> rate  
 Timber Beech Oak, Ash & Poplar, W. Spruce on the  
 1<sup>st</sup> 1/2. Beech Oak &c. on the 2<sup>nd</sup> 1/2

West On the true line between Sec. 4 & 9. T. N. 12. N. R. N. 2 W.

40.19 1/2 Set the temporary post at the above distance on the true  
 line for the cor. to the 1/4 sec. from which a  
 Beech 20 in. dia. bears North 38 miles ash; & a  
 Do 18 " " " S. 25 E. 34 " "

80.39 To the post set for the cor. to sec. 4, 5, 8 & 9

North Return Sec. 4 & 5 T. N. 12. N. R. N. 2 W.

14.50 To a Beech 18 in. dia. stands in the line

40.00 Set a post for the cor. to the 1/4 sec. from which a  
 Beech 11 in. dia. bears N 63 E. 22 miles ash; and a  
 Do 4 " " " S 67 W. 22 " "

59.70 To a Beech 24 in. dia. stands in the line

80.00 Intersected the N. Bound. at 1.70 ch. West of the  
 post set for the cor. to sec. 32 & 33. T. N. 12. N. R. N.  
 2 W. and set a post for the cor. to sec. 4 & 5. From which  
 an Ash 18 in. dia. stands N 47 E. 23 1/2 miles ash; & a  
 Beech 12 " " " S 57 W. 5 1/2 " "  
 Lands level and 2<sup>nd</sup> rate; 1<sup>st</sup> 1/2 not; Timber Beech  
 Oak, Hickory, ash, Poplar & W. Spruce, & other Shrubs

North Return Sec. 31 & 32. T. N. 12. N. R. N. 2 W.

18.06 To a Beech 20 in. dia. stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Beech 22 in. dia. bears N 28 W. 17 miles ash; & a  
 Do 15 " " " S 42 E. 5 1/2 " "

42.80 To a Beech 18 in. dia. stands in the line

T<sup>N</sup>o 12. N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Ind)

61.22	To a Brook 4 links wide; Course N.
80.00	Set a post for the cor. to Sec. 29. 30. 31. & 32 from which a Beck 20 mi. dist. bears N 40 W. 18 links dist; & a do 19 " " " S 66 E. 10 " " Land sold at 2 <sup>nd</sup> rate; Timber Beech, Hickory, Sugar, Ash, Oak, Poplar, & U.S. Pine.
East	On a Random line between Sec. 29. & 32. T <sup>N</sup> o 12 N.R. 27.
40.00	Set a temporary post for the cor. to the 1/4 Sec.
80.69	Intersected the N 15 line 94 links North of the post set for the cor. of sec. 28. 29. 32 & 33. Land sold under 2 <sup>nd</sup> rate; 2 <sup>nd</sup> 1/4 a little more Timber Beech, Hickory, Ash, Oak, & Poplar U.S. Pine
West	On the true line between Sec. 29. & 32. T <sup>N</sup> o 12 N.R. 27.
40.34 1/2	Set the temporary post at the aver. dist. on the true line for the cor. to the 1/4 Sec. from which a Beck 19 mi. dist. bears S 58 E. 11 1/2 links dist; & a do 22 " " " N 58 W 14 " "
80.69	To the post set for the cor. to Sec. 29. 30. 31. & 32
West	Between Sec. 30. & 31. T <sup>N</sup> o 12 N.R. N <sup>o</sup> 27.
23.95	To a Beck 20 mi. dist. stands on the line
40.00	Set a post for the cor. to 1/4 Sec. from which a Beck 18 mi. dist. bears N 11 E. 28 links dist; and a do 14 " " " S 25 E. 1 1/2 " "
46.73	To a Beck 18 mi. dist. stands on the line.
74.76	Intersected the West (Bound.) 133 links South of the post set for the cor. of sec. 25. & 36. T <sup>N</sup> o 12 N.R. N <sup>o</sup> 37. and set a post for the cor. to Sec. 30. & 31 from which a Beck 11 mi. dist. bears N 9 E. 4 1/2 links dist & a do 19 " " " S 13 E. 40 " " Land sold under 2 <sup>nd</sup> rate; inclining to be more

114

# INDEX MAPS.

T.12 N R.2 W 2<sup>nd</sup> Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

T.13 N R.2 W 2<sup>nd</sup> Mer.

	15	14-15	14-16	14-16	14-16	14-16						
19	6	42	5	38	4	33	3	29	2	23	1	13
	45		42		38		33		28		23	
19	7	42	8	37	9	32	10	28	11	22	12	13
	45		42		37		32		27		22	
19	18	41	17	36	16	31	15	27	14	21	13	13
	41		41		36		31		26		21	
18	19	40	20	35	21	31	22	26	23	21	24	12
	44		40		35		30		25		20	
17	30	40	29	34	28	30	27	25	26	20	25	12
	43		39		34		29		24		19	
17	31	39	32	33	33	29	34	24	35	19	36	12
	10		9-10		9-11		9-11		9-11		9-11	

The figures on the lines refer to the page.



# 1

I. N<sup>o</sup> 12. N. R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Timber: Beech Hickory Ash and Oak N. J. Spruce

North	Between Sec. 29. & 30. T. N <sup>o</sup> 12. N. R. N <sup>o</sup> 27.
20.82	To a Beech 12 in. dia. stands in the line
27.32	To a Brook 5 links wide; Course S. W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 14 in. dia. bears N 30 W. 23 links dist; and a do 20 " " " S 38 E. 39 $\frac{1}{2}$ " "
45.66	To a Poplar 24 in. dia. stands in the line.
46.17	To a Brook 25 links wide; Course S. W.
80.00	Set a post for the cor. to Sec. 19. 20. 29. & 30 from which a Beech 12 in. dia. bears N 55 E. 8 links dist; and a Beech 23 " " " S 37 W. 12 $\frac{1}{2}$ " " Land level and 2 <sup>nd</sup> rate; inclining to be met.; Timber Beech Oak, Ash, and Poplar Hickory, N. J. Spruce 30 <sup>th</sup> Nov. 1840.

East	On a Random line between Sec. 29. & 30. T. N <sup>o</sup> 12. N. R. 27.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ sec.
80.89	Intersect the N. S. line 44 links North of the post set for the cor. of Sec. 28. 29. 32 & 33. Land level & 2 <sup>nd</sup> rate; inclining to be met. Timber Beech, Ash, Oak, and Poplar N. J. Spruce

West	On the true line between Sec. 20. & 29. T. 12 N. R. 27.
40.44 $\frac{1}{2}$	Set the temporary post at the avor. dist. on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Hickory 18 in. dia. bears N 54 W. 37 links dist; to do 24 " " " S 61 E. 25 " "
80.89	To the post set for the cor. to Sec. 19. 20. 29. & 30

West	Between Sec. 19. & 30. T. N <sup>o</sup> 12 N. R. N <sup>o</sup> 27.
5.75	To a Beech 18 in. dia. stands in the line

T. N. 12. N. R. N. 2 N. 2<sup>nd</sup> Mer. Ind. <sup>a</sup>

12.60	To a Brook 13 links mid; Course N. N.
21.00	To a Brook 25 " " " S. N.
40.00	Set a post for the cor. to 1 <sup>st</sup> Sec. from which a Beech 17 in. dia? bears S 22 N. 21 links dist; to L. 15 " " " N 43 E. 20 1/2 " "
52.42	To a Beech 20 in. dia? stands in the line
74.50	Intersect the West Boundary 230 links South of the post set for the cor. to Sec. 24 & 25 T. N. 12 N. R. N. 3 N. and set a post for the cor. to Sec. 19 & 20 from which a Beech 24 in. dia? bears N 15 E. 25 links dist; and a L. 14 " " " N 15 E. 34 1/2 " " Land level and 2 <sup>nd</sup> rate; Timber Beech Hickory Oak & Elm Ash. & Poplar. M. J. Spru.
North	Return Sec. 19 & 20 T. N. 12. N. R. N. 2 N.
74.45	To a Sugar 17 in dia? stands in the line
40.00	Set a post for the cor. to 1 <sup>st</sup> Sec. from which a Beech 24 in dia? bears S 79 E. 19 1/2 links dist; to L. 19 " " " N 87 N. 55 " "
55.75	To a Sugar. 24 in. dia? stands in the line
56.60	To a Brook 10 links mid; Course South
80.00	Set a post for the cor. of Sec. 17. 18. 19. & 20. from which an Ash 24 in. dia? bears S 54 N. 31 links dist; to Sugar 18 " " " N 59 E. 46 " " Land 1 <sup>st</sup> & broken 2 <sup>nd</sup> level; both 2 <sup>nd</sup> rate. Timber Beech Ash Hickory, Oak, Sugar, & Pop lar M. J. Spru.
East	On a Random line between Sec. 17. & 20 T. N. 12 N. R. 2 N.
40.00	Set a temporary post for the cor. to the 1 <sup>st</sup> Sec.
80.79	Intersect the N. S. line 24 links North of the post set for the cor. of Sec. 16. 17. 20. & 21. Land level and 2 <sup>nd</sup> rate; Timber Beech, Ash, Poplar 3:



T. N. 12. N. R. N. 27. 2<sup>nd</sup> Mer. Ind.

80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from which  
 Hickory 24 in. dia. bears S 26 E. 19 links dist; and  
 Beech 18 " " " N 21 E. 40 " " "  
 These last bearings were intended the 2<sup>nd</sup> time by mistake  
 Land R<sup>1</sup>/<sub>4</sub> mile; 2<sup>nd</sup> 1/2 met. both 2<sup>nd</sup> rate Timber  
 Beech Oak, Ash, Walnut, Hickory & Poplar W. & Spruce

East On a Random line between Sec. 8 & 17 T. N. 12 N. R. 27.

19.00 Left low land and entered brush

40.00 Set a temporary post for the cor. to the 1/4 sec.

80.04 Intersected the N. & S. line 6 links South of the post  
 set for the cor. to sec. 8, 9, 16 & 17. Land level  
 and 2<sup>nd</sup> rate; Timber Beech Oak, & Ash;  
 Brush of every kind very thick.

West On the true line between Sec. 8 & 17 T. N. 12. N. R. 27.

40.02 Set the temporary post at the av. dist. on the true  
 line for the cor. to the 1/4 sec. from which a  
 Beech 21 in. dia. bears S 72 W. 50 1/2 links dist; &  
 Do 21 " " " N 87 E. 20 1/2 " "

80.04 To the post set for the cor. to sec. 7, 8, 17 & 18.

West Between Sec. 7 & 18 T. N. 12. N. R. N. 27.

13.00 To an ash 13 in. dia. stands in the line

40.00 Set a post for the cor. to the 1/4 sec. from which a  
 Beech 20 in. dia. bears N 78 E. 33 links dist; &  
 Do 18 " " " S 87 W. 50 " "

62.43 To a Beech 17 in. dia. stands in the line

73.85 Intersected the West Boundary 2.57 ch. South of  
 the post set for the cor. of sec. 12 & 13. T. N. 12 N. R.  
 N. 27 and set a post for the cor. of sec. 7 & 18  
 from which a Beech 13 in. dia. bears S 21 E. 13 links  
 dist; and a Do 19 " " " N 7 W. 26 1/2 " dist.



T. N. 12. N. R. N. 2 W. 2<sup>nd</sup> Mer. Sec. 8

Land level and not 2<sup>nd</sup> rate; Timber Beech, Oak, Ash, Hickory & Sugar; undergrowth Spice.

North	Retran Sec. 7, 8 T. N. 12. N. R. N. 2 W.
8.90	To a Beech 20 in. dia. Stands in the line
13.00	To a Spring; Course North
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 9 in. dia. bears N 46 E. 30 links dist; to Sugar 10 " " " S 87 W. 18 " "
41.00	Entered a Bottom
41.60	To a Hickory 10 in. dia. Stands in the line.
49.10	To a Brook 5 links wide; Course N. E.
51.00	Left the Bottom
80.00	Set a post for the cor. to sec. 5, 6, 7, 8 from which a Beech 30 in. dia. bears S 56 E. 14 links dist; and a No 19 " " " N 21 W. 24 " "
Land broken and 2 <sup>nd</sup> rate; Timber Beech, Oak, Ash, Poplar and Sugar. W. J. Spice and Beech gums	
Dec. R. 1819.	

East	On a Random line between Sec. 5 & 8 T. N. 12 N. R. 2 W.
0.20	Entered a bottom
13.75	To a Brook 26 links wide; Course N. W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
50.00	Left the bottom
80.00	Intersected the N. & S. line 20 links South of the post set for the cor. of sec. 4, 5, 8 & 9 T. N. 12 N. R. 2 W.
Land level & 2 <sup>nd</sup> rate; Timber Beech, Oak, Ash and Poplar. W. J. Spice Oak & Beech gums	

West	On the true line between Sec. 5 & 8 T. N. 12 N. R. 2 W.
40.00	Set the temporary post at the av. dist; on the true line for the cor. to the $\frac{1}{4}$ sec. from which a

T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

W. Oak 36 in. dia. bears S 59 E. 46 links dist; and a  
 Beech 12 " " " N 66 W. 33 " "  
 80.00 To the post set for the cor. to sec. 5, 6, 7, 8.

West Between Sec. 6 & 7 T. N<sup>o</sup> 12 N.R. N<sup>o</sup> 2 W.  
 23.23 To a Beech 14 in. dia. stands in the line  
 40.00 Set a post for the cor. to the 1/4 sec. from which a  
 Hick. 15 in. dia. bears N 9 E. 11 links dist; and a  
 Beech 12 " " " S 26 W. 38 1/2 " "  
 52.22 To a Beech 11 in. dia. stands in the line.  
 73.63 Intersected the West Boundary 2.73 ch. South of the  
 post set for the cor. of sec. 1 & 12 T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 3 W.  
 and set a post for the cor. of sec. 6 & 7 from which a  
 Hick. 36 in. dia. bears N 20 W. 26 links dist; & a  
 Do 20 " " " S 4 E. 10 " "  
 Sandbar and 2<sup>nd</sup> rate; Timber Beech, Hick. &  
 W. Oak; W. Spruce & Maple.

North Between Sec. 5 & 6. T. N<sup>o</sup> 12. N.R. N<sup>o</sup> 2 W.  
 5.00 To a Brook 25 links wide; Course North.  
 22.15 " " Beech 20 in. dia. stands in the line.  
 27.00 To a Brook 30 links wide; Course N.W.  
 40.00 Set a post for the cor. to the 1/4 sec. from which a  
 W. Oak 23 in. dia. bears N 57 W. 5 1/2 links dist; & a  
 Beech 14 " " " S 59 E. 11 1/2 " "  
 48.00 To a Beech 24 in. dia. stands in the line  
 80.81 Intersected the N Boundary 1.45 ch. West of the  
 post set for the cor. to sec. 31 & 32 T. N<sup>o</sup> 13 N.R. 2 W.  
 and set a post for the cor. to sec. 5 & 6. from which  
 a Beech 26 in. dia. bears S 65 E. 26 links dist; and a  
 Do 12 " " " N 68 W. 17 " "  
 Sand rolling & 2<sup>nd</sup> rate; Timber Beech, Ash, Hick.  
 W. Oak & Sugar; W. Maple and Beech Emb.

T. N. 12. R. N. 27. 2<sup>nd</sup> Mer. Indiana 7

Dec. 2<sup>nd</sup> 1819

Surveyed by  
John Milroy D.S.

I certify that the foregoing transcript of field  
notes of Township N. 12. R. 27. 2<sup>nd</sup> Mer. Indiana, has been Comp. with  
the original notes in this Office and found  
to be correct.

Surveyor Genl Office  
Cincin<sup>ti</sup>. Dec. 4<sup>th</sup> 1840

J. S. Rains  
Sur. Genl.